

## Monoethylene Glycol

### Technical Specification

Test	Method No.	Specification
Appearance	Visual	Clear colorless free from suspended impurities.
Color Pt-Co scale	NMD/QAD/CCL-1652	5
Color stability (heating after 4 hours)	NMD/QAD/CCL-1652	10
SP gravity@20/20°	ASTM D 4052-11	1.1151-1.115
Moisture	ASTM D 203-08	0.05Max
MEG % (purity)	NMD/QAD/CCL-1648	99.9MIN
Diethylene glycol	ASTM D 2409-08	0.08Max
Acidity(as CH <sub>3</sub> COOH)	ASTM D 1613-06	0.005Max